PHYSICAL THERAPY CLINIC IRWIN ARMY COMMUNITY HOSPITAL FORT RILEY, KS 66442

WALK TO RUN PROGRESSION PROGRAM

The following program may be beneficial to a soldier recovering from an injury or just coming off profile. There are no set timeframes – progress slowly as tolerated.

Guidelines:

- 1. Perform every other day only. Do not run two days in a row.
- 2. Perform at easy pace on level surfaces no hills.
- 3. Use good jogging shoes that are not more than 6-9 months old.
- 4. Stop if you experience increased pain, swelling, or stiffness.
- 5. Try each Phase at least twice and progress if you experience no increased pain, swelling, or stiffness.
- 6. After Phase VII eliminate the walk portion and then gradually increase the distance over time.
- 7. Apply ice to the affected area immediately after exercise for 15-20 minutes.

Phase I: Walk 2 miles at your own pace and tolerance

Phase II: Progress to walking 2 miles in 35 minutes

Phase III: Walk Run Walk Run (miles) 1/4 1/4 1/4 1/4

Phase IV: Walk Run Walk Run Walk Run (miles) 1/4 1/4 1/4 1/4 1/4 1/4 1/4 1/4

Phase V: Walk Run Walk Run Walk Run (miles) 1/4 1/2 1/4 1/2 1/4 1/2

Phase VI: Walk Run Walk Run (miles) 1/4 1 1/4 1

Phase VII: Walk Run Walk Run (miles) 1/4 1 1/2 1/4 1 1/2